

Если вы видите что-то необычное, просто сообщите мне.

Post

Post - определяет один или несколько дополнительных шагов, которые выполняются после завершения конвейера или этапа

список условий для post:

- `always` - выполняется независимо от статуса завершения конвейера или этапа.
- `aborted` - выполняется если конвейер был прерван.
- `changed` - если статус текущей сборки отличается от статуса предыдущей, выполняются шаги в блоке.
- `cleanup` - выполнить шаги после всех остальных условий, независимо от всех состояний.
- `fixed` - выполняется в случае если текущий конвейер или этап был успешным, а прошлый был fail или unstable
- `failure` - если текущая сборка провалилась, выполнить шаги в блоке.
- `success` - текущая сборка прошла успешно, выполняются шаги в блоке.
- `unstable` - выполнить шаги в сборке если состояние было нестабильным.
- `unsuccessful` - выполняется в случае не успеха.
- `regression` - выполняются если текущее с fail или unstable статусе, а предыдущей был успешны

```
pipeline {
  agent any
  stages {
    stage('Build') {
      steps {
        sh 'ls -ls'
      }
    }
  }
  post {
    always {
      echo 'always finished'
```

```
        deleteDir() /* clean up our workspace */
    }
    aborted {
        echo 'Project aborted...'
    }
    changed {
        echo 'Things were different before...'
    }
    success {
        echo 'I succeeded'
    }
    unstable {
        echo 'I am unstable...'
    }
    failure {
        echo 'I failed :/'
    }
}
}
```

Revision #2

Created 2023-11-08 16:07:19 UTC by gasick

Updated 2023-11-08 16:10:47 UTC by gasick